

Working situations can transform quickly - our furnishing ideas changes with you!

The developments associated with the covid-19 pandemic have catapulted us into a new reality at alarming speed. Suddenly it's here, the future. And we're right in it! We've had to rethink things at König + Neurath too. We initiated change processes and analysed our product range with regard to its capacity to respond to a variety of potential scenarios.

We are now able to present the results: a work setting that adapts completely to your needs.

Your working environment, customised by you!
















TALO.YOU single workstation with Personal Box, OKAY.III, TALO.YOU meeting table with QUICK.III, NET.WORK.PLACE elements

Multifunctional storageThe Personal Box in black (recycled plastic) or white is a secure place to keep your work utensils. It can be mounted under the desk or is alternatively available on castors with a seat pad.







QUIET.BOX Duo XL, K+N NOOK, round meeting table





Our K+N SMART.OFFICE tool serves as a digital door label, allowing you to see which rooms or workstations are free, occupied or booked via a tablet or straight to your phone.

OUR VISION: SCALABLE SOLUTIONS

The digital transformation has swept through everything in its path, including the workplace. If the analogue world is to keep pace with the rapid changes, it needs to be flexible. With our customisable furnishing ideas, we can reflect the full variety of working styles. In a way that makes changes simple to implement at any time. TALO.YOU can be configured as an individual workstation with screens for privacy, as a team bench or even a meeting solution. Our digital tool K+N SMART.OFFICE also helps you book free desks or meeting spaces.




Products:
TALO.YOU nesting table with hygiene screens, QUICK.III, K+N NOOK counter chair,
LIFE.S Interaction, NET.WORK.PLACE Organic elements

working environment that can adapt. Not just to the task, but also the solution. Like **TALO.YOU.** As a **flexible nesting table** it's as mobile as the lightweight **sit-stand support QUICK.III.**

ZOOM IN: **ADD VALUE TO YOUR MEETINGS**

How will we work tomorrow? Together, that's for sure. They say connectivity is the most influential trend of our times. Networking has many aspects. It works best if it happens in inspiring spaces where communication takes place – digital or analogue, it doesn't matter which – and the creative juices begin to flow. Our **TALO.YOU conference system** gives you plenty of freedom where design is concerned: shapes, finishes, materials and colours are all scalable for any application.





Products:
TALO.YOU with A-leg frame, K+N NOOK visitor chair, Personal Box on castors,
NET.WORK.PLACE Organic elements, MOVE.MIX contract chair, ACTA.PLUS sliding door cabinet

Suddenly remote working has become part of the office routine for lots of people – and it's likely to stay that way. Decentral structures not only encourage individual freedom, they also change offices and the way we view our homes. The **TALO.YOU individual workstation** can be fully customised to suit your style and is also highly versatile, allowing your office to function as a harmonious complement to your home. To go with it, you can configure our new comfortable **K+N NOOK** so it's exactly how you like it.

What's the most important factor in office planning? You!
Discover the variety of our customisable furniture

TALO.YOU K+N NOOK QUICK.III

TALO.YOU

TALO.YOU

- + Can be configured for all applications:
 Single workstation, bench, and
 conference, meeting or nesting tables
- + Leg frame design round or square tube
- + A-leg frame, also on castors
- + Height adjustment:
 Height adjustment from 650 to 850 mm
 Motorised height adjustment from
 640 to 1300 mm
- + Fixed height of 750 mm for conference tables and nesting tables
- Metal cable tray/clip-down cable tray, plastic clip-down cable tray
- + Variety of extensions and accessories
- + Wide range of desktop electrics options, cable slot
- + Optional: delivery in component form, boxed





K+N NOOK AND QUICK.III



K+N NOOK

VISITOR CHAIR AND CONFERENCE CHAIR

- + Stylish split-shell backrest (plastic), unupholstered or with cushion pad
- + Armrest in black plastic is attached directly to the backrest
- + Various base types/styles available
- + Conference chair on height-adjustable starbase, fixed seat and backrest
- + Clip-on seat and back pads can be replaced without tools



- + Suitable for communication zones
- + Gas-lift height adjustment, operated left or right below the seat
- + Seat height from 535 to 750 mm controls also act as a grab handle when carrying the stool
- + Upholstered seat is covered with hard-wearing fabric
- + Non-slip ribbing ensures good stability




TALO.YOU TALO.YOU

SYSTEM OVERVIEW SINGLE WORKSTATION

A-leg round tube


Hygiene screen INSIDE.25 fly-by screen Metal clip-down cable tray Plastic clip-down cable tray INSIDE.25 desk screen Up-down control Frame type T-leg square tube Modesty panel bracket connection Fixed cable tray Net Box Smart, Modesty panel for fitting to the work surface clip-on Sliding top release Spacer Cable chain Frame type T-leg square tube cantilever feet on glides/castors Under-desk drawer adjustment Cable sleeve Frame type T-leg round tube Personal box cantilever feet on glides/castors Side printer tray CPU holder light Frame design A-leg square tube Frame design


TEAM WORKSTATION




TALO.YOU TALO.YOU

CONFERENCE TABLES






NESTING TABLE



MEETING TABLE



DETAILS


1 | FRAME LEGS Square tube (70 x 70 mm), round tube (Ø 70 mm).













2 | FRAME TYPES Symmetrical on glides or castors.



3 | FRAME DESIGN Square/round tube leg columns are also available with an A-leg frame in steel tube or real wood.



4 | CABLE DUCT WITH CABLE CHAIN Houses vertical electrics for motorised and lift desks.

5 | CPU HOLDER

Can be fitted to the inside or outside of leg frame.



6 | FABRIC-COVERED DESK SCREENS

Flexible solutions as desktop screens connected by adaptors or clamps – or alternatively as fly-by screens for fitting behind the desk.









Fixed or fold-down cable trays. Central cable trays, with or without a cover, height from floor: 420 mm, dimensions: H 100 x D 249/ 219 mm







TALO.YOU TALO.YOU



8 | SMOOTH-RUNNING SLIDING TOP

Allows convenient access to cables from above, fast and efficient.







10

11

10 | OPERATING CONSOLE

In 2 variants for infinite motorised height adjustment.





13

12 | UNDER-DESK DRAWER

Plastic under-desk drawer, lockable. Max. load 4 kg. Housing, black or white.

13 | TOOL BOX

Tool box with or without cup holder (for 2 cups). Plastic. Box in black or white, cups available in black or grey.



Multifunctional, can be used as storage or seat (with a mobile base on castors and cushion pad).







15 | CONNECTION TO DESKTOP

The box can be connected to the left or right of a 25 mm top by means of a clamp adaptor. The connection kit is supplied. The box rotates through 180°, allowing it to be used on either side.

16 | SPECIFICATION/OPTIONS


The optional interior fittings include a key holder and a phone holder.





17 | LOCKS

The door features a "softclose" mechanism for silent closing. If required it can be fitted with an interchangeable core cylinder or combination lock.



18 | KEYSTONE

The plug connection system can be supplied with USB-A 3.0 Key Stone as an additional



Organic free-form or rectangular. Frame width 1600 mm.
Depending on requirements the meeting side can be selected on the left or right.



TALO.YOU K+N SMART.OFFICE

DETAILS BENCH



19 | CENTRAL SCREEN FOR PRIVACY

The effective screen provides privacy as well as offering acoustic advantages.

19

20 | FUNCTIONAL SIDE TRIM

Optionally either perforated steel or closed to accommodate cables.



K+N SMART.OFFICE

Take your place in the agile work culture - with a smart, stress-free approach

How can we organise rooms and processes efficiently even though people are working everywhere? How can we empower agile project teams so that they can work within a structure whilst remaining healthy? **K+N SMART.OFFICE** networks the room, furniture and people together, turning challenges into opportunities.

K+N SMART.OFFICE is a digital service that provides a simple way of organising space so that it's used efficiently. To achieve this, sensors are installed in rooms and on furniture. **K+N SMART.OFFICE** can be used via a phone app or from the desktop.

The system includes modules that you can integrate into your infrastructure individually or in combination.



K+N SMART.OFFICE COMPANION

it's easy for employees to book rooms and workstations which makes organising dynamic work cultures efficient.

- + Find and book vacant desks and meeting rooms
- + Filter by number of people and equipment
- + Touch screen in the meeting rooms, instant booking option
- + Find colleagues

K+N SMART.OFFICE STUDY

you can make space and furniture use transparent and highlight potential for optimisation - to plan space use more efficiently.

- + Identify the full potential of space and resource utilisation
- + View data in real time
- + Use comprehensive analysis for new, efficient room and space planning

Discover now at smart-office.de

WIRE MANAGEMENT


CONFERENCES AND MEETINGS

1 | WIRELESS CHARGING

Wireless charging for mobile devices, marked with a sticker on the table top.

2 | VARIABLE WIRE MANAGEMENT Choose from all the usual electrics options.

3 | INTELLIGENT SOCKET











4 | INTEGRAL CABLE COVER

The integral cable cover features variable sockets.

5 | VERSATILE SOCKET

The desktop sockets clip flexibly onto the table, and can accommodate several



6 | PRACTICAL CABLE GROMMET Functional and understated: the plastic grommet.



7 | TIDY SOLUTION This flexible cable clip bundles up to eight cables together under the table top.

FINISHES

DESK TOP SURFACES

FRAME COLOURS

MFC **SOLID COLOUR**

MFC **WOOD EFFECT** **VENEER**

FENIX

POWDER-**COATED METAL** **TEXTURED FINISH**



GK Grey

GW Off-white

KH Light grey

UM Melange

WI Pure white

AA Acacia



AH Canadian maple



7V Fenix black



AL Aluminium coloured



KSS Black



AM Anthracite metallic



ET Oak natural

AO Maple



CK American cherry

EN Oak natural

BH Beech unstained





7M Fenix white

7J Fenix dark grey





KT Aluminium coloured



NM Walnut

UL Flm





SN American walnut natural



GW Off-white



KH Light grey





PK Metal clear varnish



WI Pure white

Subject to technical and programme alterations, printing and other errors. Printed colours may vary from actual colours.

TALO.YOU TALO.YOU

SYSTEM OVERVIEW



		Single desk
Top configurations:		
Legs/Frame		
	T-leg (round and square tube)	
	4-leg column with connecting cross beam	-
	Frame type, A-leg	•
	Design cantilever feet	—
	Castors	•
Dimensions		
	Widths	800, 1000, 1200, 1400, 1600, 1800, 2000 mm
	Depths	600, 700, 800, 900, 1000 mm
Height adjustment		
	Fixed height	-
	Height-adjustable (Allen key)	650 - 850 mm
	Electric motor	640 – 1300 mm (double telescopic action)
Table tops		
	Top thickness	25 mm chipboard (MFC or veneer)
		13 mm plywood (not suitable for table depths above 1000 mm)
		Veneer
		Fenix
		15° undercut for 25 mm top
		Top corners with radius
Wire management		
Sliding top		
Horizontal	With matching clip-down cable tray or cable clip	
Vertical	Additional cable chains, cable ducts and clip-on cable sleeve	•
Cut-outs/adapters	Cut-outs and adapters can be positioned as required	
Electrics cut-out	With brush seal and tool rail	
Table-top electrics	Choice of electrics options	
3rd level add-ons		
	AL-SIJ.	As option via adapter
	At sides	-
	Below the top	Modesty panel
		Personal Box optional with accessories
		Under-desk drawer
	Desk screens	Covered with fabric with acoustic properties, rail, fly-by screen

1	111	MMM	II
Bench	Nesting table	Conference table	Meeting
	•	-	•
			-
-	_		
-		•	•
1200, 1400, 1600, 1800, 2000 mm	1200, 1400, 1600, 1800, 2000 mm	2400, 2800, 3200, 4000 mm	1200, 1400, 1600, 1800, 2000, 2200, 2400, 2400, 3200, 3600, 4000 mm
1480, 1680, 1880 mm	800 mm	1400, 1600 mm	800, 1000, 1200 mm
	750	RFO	gro
- 650 - 850 mm	750 mm	750 mm	750 mm
640 – 1300 mm	640 – 1300 mm	640 – 1300 mm	- 640 – 1300 mm
(double telescopic action)	(double telescopic action)	(double telescopic action)	(double telescopic action)
25 mm chipboard (MFC or veneer)	25 mm chipboard (MFC or veneer)	25 mm chipboard (MFC or veneer)	25 mm chipboard (MFC or veneer)
13 mm plywood (not suitable for table depths above 1000 mm)	-	-	-
Veneer	Veneer	Veneer	Veneer
Fenix	Fenix	Fenix	Fenix
15° undercut for 25 mm top	15° undercut for 25 mm top	15° undercut for 25 mm top	15° undercut for 25 mm top
Top corners with radius	-	Top corners with radius	Top corners with radius
	-	<u> </u>	
•	-	-	-
	-	-	-
	<u>-</u>	<u>-</u>	<u>-</u>
As option via adapter	-	-	-
Extension tops, CPU holder, printer tray, side trim perforated steel or closed	-	-	-
	Modesty panel	<u> </u>	-
Personal Box optional with accessories	-	-	-
Under-desk drawer	<u>-</u>	<u>-</u>	<u>-</u>
Covered with fabric with acoustic			

properties, rail, fly-by screen











K+N NOOK K+N NOOK

K+N NOOK



GET THE LOOK!





SELECTION OF FABRICS AND COLOURS







28 | 53

22 | 85

34 | 61

39 | 43

21K | 62

Subject to technical and programme alterations, printing and other errors. Printed colours may vary from actual colours. K+N NOOK K+N NOOK

DETAILS











2 | ARMREST

to the backrest.

Black plastic, attached directly

3 | CANTILEVER MODEL

For use on carpeted floors, available without glides, with anti-tilt feet.

4 | BASE TYPES - CONFERENCE CHAIRS New four-legged model on spider base.

SPECIFICATION POTENTIAL FOR VISITOR CHAIRS AND CONFERENCE CHAIRS

OKAY.II, JET.ONE and JET.II

available with many new base and armrest options.



PRODUCT OVERVIEW





Conference chair

Base	Visitor chair	Base	
Four-legged model	Round steel tube, stackable (x4)	•	Four-legg
Four-legged model on castors	Round steel tube, stackable (x3)	•	base
Cantilever model	Round steel tube, stackable (x4)	•	Starbase

Backrest

Black plastic, unupholstered	•
Black plastic, upholstered	

Armrests

Fived	. black plastic wrap	_

D:		:		_
UI	me	nsi	ОП	15

Seat height		
- on glides	Four-legged model 440 mm, cantilever model 445 mm	
- with anti-tilt feet	Cantilever model 434 mm	
- on castors	Four-legged model 440 mm	
Seat width	439 mm	
Seat depth	470 mm	
Back width	466 mm	
Total height	Four-legged model 906 mm, cantilever model 910 mm	
Armrest height, measured from the ground	688 mm	

Colours

Base	Black, textured matt black, aluminium-coloured, white, chrome	
Glides	Black	
Castors	Black	
Armrests	in same colour as base, black armrest pad	
Shell	Black	

Backrest

Four-legged model on spider

Counter model on starbase

Black plastic, unupholstered	
Black plastic, upholstered	•

Polished aluminium

Steel

white

white

Black plastic

Black powder-coated aluminium, textured matt black, aluminium-coloured,

Black powder-coated aluminium,

textured matt black, aluminium-coloured,

Polished aluminium, chrome

Armrests

Fixed, steel, black	nlactic wran	_
i ixeu, sieet, black	plastic wrap	_

Dimensions

Seat height	
- on glides	Four-legged model 440 mm, Starbase 389 - 510 mm Counter model 594 - 799 mm
- on castors	Starbase 425 - 546 mm, Counter model 630 - 835 mm
Seat width	439 mm
Seat depth	470 mm
Back width	466 mm
Total height	Four-legged model 906 mm, Starbase 896 mm Counter model 1120 mm
Armrest height, measured from the ground	Four-legged model 688 mm

Colours

Base	Black, textured matt black, aluminium-coloured, white, chrome
Starbase	Black, textured matt black, aluminium-coloured, white, chrome, polished aluminium
Starbase counter model	Black, textured matt black, aluminium-coloured, white, polished aluminium/ Foot ring black, with top surface brushed aluminium
Glides	Black
Castors	Black
Armrests	Black, textured matt black, aluminium-coloured, white, chrome Black pad
Shell	Black







QUICK.III QUICK.III

QUICK.III STAND IN STYLE



DETAILS AND PRODUCT OVERVIEW





1 | BUTTON FUNCTIONS

The buttons on the right and left under the seat control the height adjustments and can also be used as carry handles.

2 | STABILITY

Its non-slip profiling gives QUICK.III good stability despite its multi-directional mobility.

3 | SHIPPING AND PACKAGING

QUICK.III is always supplied ready for assembly in a cardboard box – standard delivery is by trucks or parcel courier (there may be an additional charge). Instructions for assembly and operation are printed on the packaging.



Technology		
Seat height adjustment	535 - 750 mm via gas lift	
Seat		
	Upholstered, black	•
	Upholstered, fabric group 14	
Dimensions		
Disc foot	380 mm ø	
Sitting/standing height	535–750 mm	
Seat width	370 mm	
Seat depth	240 mm	
Weight	5.6 kg	
Packaging	Packed in cardboard box	

■ Standard □ Optional



Packaging







440 x 380 x 300 mm



QUIET.BOX DUO XL

Stand-alone meeting cube for four people – organic or rectangular variant





NET.WORK.PLACE OrganicOptimum conditions for a better way of working





AURAY

Representative management and conference chair for design aficionados with minimalist styling

LIFE.S INTERACTION

Multifunctional solution for spontaneous meetings in communication and bistro areas



Together with specialist retailers, König + Neurath supports its customers throughout the entire process of outfitting offices. With differentiated style collections, design-conscious furniture and digital solutions, the family-owned company, established in 1925, helps its customers to adapt successfully to the changing nature of the workplace.



OKAY.IIIThe swivel chair with bounce effect

Deutschland

König + Neurath AG Industriestraße 1–3 61184 Karben T +49 6039 483-0 info@koenig-neurath.de

Great Britain

K + N International Ltd. 52 Britton Street London EC1M 5UQ T +44 20 74909340 info@koenig-neurath.co.uk

Nederland

König + Neurath Nederland Beethovenstraat 530 1082 PR Amsterdam T +31 20 4109410 info@konig-neurath.nl

France

König + Neurath AG 53, rue de Châteaudun 75009 Paris T +33 1 44632393 info@koenig-neurath.fr

Schweiz

König + Neurath (Schweiz) GmbH St. Gallerstrasse 106 d CH–9032 Engelburg / St. Gallen T +41 52 7702242 info@koenig-neurath.de

Österreich

König + Neurath AG Gonzagagasse 1 / Morzinplatz 1010 Wien T +43 676 4117512 info@koenig-neurath.de

koenig-neurath.com KN-03.21/KP/2/1/0,5/0,5