

# Arny Lite

A minimalist seating range with a compact footprint, perfect for use in the tightest of spaces. A more formal seating position makes the range ideal for the workplace.





	<b>Armchair Low Back</b>	<b>Two Seat Low Back</b>	<b>Three Seat Low Back</b>	<b>Corner Unit Low Back</b>	<b>Single Seat w. 1 Arm Low Back</b>	<b>Two Seat w. 1 Arm Low Back</b>	<b>Three Seat w. 1 Arm Low Back</b>
<b>Product Code</b>	ALT-1-L	ALT-2-L	ALT-3-L	ALT-4-L	Right: ALT-5a-L Left: ALT-5b-L	Right: ALT-6a-L Left: ALT-6b-L	Right: ALT-7a-L Left: ALT-7b-L
<b>Dimensions</b>	H705 x W950 x D730 x SH440mm	H705 x W1340 x D730 x SH440mm	H705 x W1740 x D730 x SH440mm	H705 x W730 x D730 x SH440mm	H705 x W790 x D730 x SH440mm	H705 x W1180 x D730 x SH440mm	H705 x W1580 x D730 x SH440mm
	<b>Armchair Mid Back</b>	<b>Two Seat Mid Back</b>	<b>Three Seat Mid Back</b>	<b>Corner Unit Mid Back</b>	<b>Single Seat w. 1 Arm Mid Back</b>	<b>Two Seat w. 1 Arm Mid Back</b>	<b>Three Seat w. 1 Arm Mid Back</b>
<b>Product Code</b>	ALT-1-M	ALT-2-M	ALT-3-M	ALT-4-M	Right: ALT-5a-M Left: ALT-5b-M	Right: ALT-6a-M Left: ALT-6b-M	Right: ALT-7a-M Left: ALT-7b-M
<b>Dimensions</b>	H1015 x W950 x D730 x SH440mm	H1015 x W1340 x D730 x SH440mm	H1015 x W1740 x D730 x SH440mm	H1015 x W730 x D730 x SH440mm	H1015 x W790 x D730 x SH440mm	H1015 x W1180 x D730 x SH440mm	H1015 x W1580 x D730 x SH440mm
	<b>Armchair High Back</b>	<b>Two Seat High Back</b>	<b>Three Seat High Back</b>	<b>Corner Unit High Back</b>	<b>Single Seat w. 1 Arm High Back</b>	<b>Two Seat w. 1 Arm High Back</b>	<b>Three Seat w. 1 Arm High Back</b>
<b>Product Code</b>	ALT-1-H	ALT-2-H	ALT-3-H	ALT-4-H	Right: ALT-5a-H Left: ALT-5b-H	Right: ALT-6a-H Left: ALT-6b-H	Right: ALT-7a-H Left: ALT-7b-H
<b>Dimensions</b>	H1325 x W950 x D730 x SH440mm	H1325 x W1340 x D730 x SH440mm	H1325 x W1740 x D730 x SH440mm	H1325 x W730 x D730 x SH440mm	H1325 x W790 x D730 x SH440mm	H1325 x W1180 x D730 x SH440mm	H1325 x W1580 x D730 x SH440mm

NOTE: Illustrations show Right arm units.

POWER



Optional arm cushion

POWER






Optional built-in Power Modules

# Army Lite



# Army Lite - Single with Writing Tablet



						
	<b>Single with Writing Tablet Low Back</b>	<b>Single with Writing Tablet Mid Back</b>	<b>Single with Writing Tablet High Back</b>	<b>Single with Writing Tablet &amp; Storage Arm Low Back</b>	<b>Single with Writing Tablet &amp; Storage Arm Mid Back</b>	<b>Single with Writing Tablet &amp; Storage Arm High Back</b>
<b>Product Code</b>	Right: ALT-8a-L Left: ALT-8b-L	Right: ALT-8a-M Left: ALT-8b-M	Right: ALT-8a-H Left: ALT-8b-H	Right: ALT-9a-L Left: ALT-9b-L	Right: ALT-9a-M Left: ALT-9b-M	Right: ALT-9a-H Left: ALT-9b-H
<b>Dimensions</b>	H705 x W1120 x D900 x SH440mm	H1015 x W1120 x D900 x SH440mm	H1325 x W1120 x D900 x SH440mm	H705 x W1120 x D900 x SH440mm	H1015 x W1120 x D900 x SH440mm	H1325 x W1120 x D900 x SH440mm

NOTE: Illustrations show Right arm units.



## WRITING TABLET FINISH

White or Black Laminate.  
Other colours available P.O.A.  
(m.o.q. may apply)

## POWER



Optional built-in Power Modules

# Army Lite Booths



Combining two **Army Lite** sofas with a specially designed table and link wall creates a freestanding, casual meeting pod. Ideal for use in open plan spaces where an element of visual and acoustic privacy is required without being completely separated from the space.

## Army Lite Booths

<b>Product Code</b>	<b>One-to-One Booth - Low</b> ALT-1B-L	<b>One-to-One Booth - Mid</b> ALT-1B-M	<b>One-to-One Booth - High</b> ALT-1B-H
<b>Dimensions</b>	H705 x W2230 x D790 x SH440mm	H1015 x W2230 x D790 x SH440mm	H1325 x W2230 x D790 x SH440mm
<b>Product Code</b>	<b>Four Person Booth - Low</b> ALT-2B-L	<b>Four Person Booth - Mid</b> ALT-2B-M	<b>Four Person Booth - High</b> ALT-2B-H
<b>Dimensions</b>	H705 x W2230 x D1340 x SH440mm	H1015 x W2230 x D1340 x SH440mm	H1325 x W2230 x D1340 x SH440mm
<b>Product Code</b>	<b>Six Person Booth - Low</b> ALT-3B-L	<b>Six Person Booth - Mid</b> ALT-3B-M	<b>Six Person Booth - High</b> ALT-3B-H
<b>Dimensions</b>	H705 x W2230 x D1745 x SH440mm	H1015 x W2230 x D1745 x SH440mm	H1325 x W2230 x D1745 x SH440mm


### TABLE TOP FINISH

Laminate tops:



White

Black



Oak

Walnut

### AV LINK PANEL



Optional reinforcement to take screen mount and cable channel with grommet. (Mounting bracket & AV equipment not supplied).

Max suggested screen size 32" – 10kg

### POWER



Optional built-in Power Modules

## METAL FINISH

### STANDARD POWDER COAT COLOURS:

**Metal Legs** 

**Table Base** 

					
Wine Red RAL 3005	Ruby Red RAL 3003	Beige Red RAL 3012	Broom Yellow RAL 1032	Zinc Yellow RAL 1018	Oyster White RAL 1013
					
Steel Blue RAL 5011	Sapphire Blue RAL 5003	Pigeon Blue RAL 5014	Blue Grey RAL 7031	Signal White RAL 9003	Pebble Grey RAL 7032
					
Grey Beige RAL 1019	Yellow Grey RAL 7034	Fir Green RAL 6009	Moss Green RAL 6005	Reseda Green RAL 6011	Cement Grey RAL 7033
					
Light Grey RAL 7035	Graphite Grey RAL 7024	Jet Black RAL 9005	Quartz PREMIUM	Graphite Grey PREMIUM	Jet Black PREMIUM

On small orders a minimum charge may apply.

## WOOD LEG FINISH



### STANDARD WOOD COLOURS:

OR

				
Walnut Stain	Graphite Grey RAL 7024	Jet Black RAL 9005	Zinc Yellow RAL 1018	Pigeon Blue RAL 5014
				
Beige Red RAL 3012	Ruby Red RAL 3003	Moss Green RAL 6005	Reseda Green RAL 6011	Sapphire Blue RAL 5003



Custom RAL colour.

## CASTORS



## PRODUCT MATERIAL BREAKDOWN

Material Breakdown Data based on a corner **Army Lite** layout consisting of 1no. ALT-5a-L, 1no. ALT-4-L & 1no. ALT-6b-L, upholstered in Camira Oceanic.

Figures stated will vary depending on model purchased and specification changes.

Recycled data based on supplier information and industry averages. As part of our continuous development processes we will review this information regularly and data may change without notice.



35%	PLYWOOD
11%	HARDWOOD
11%	POLYURETHANE FOAM
10%	FABRIC
8%	MDF
7%	SOFTWOOD
5%	RECYCLED FIBREBOARD
4%	MILD STEEL
3%	ZINC PLATED MILD STEEL
<1%	LDPE

TOTAL WEIGHT: 68.8kg


**124.43** KG CO<sub>2</sub>e  
\*calculations are based on average emission factors validated by third-party open data sources based on cradle-to-gate phases of typical product lifecycle.

## SUSTAINABILITY

17%	RECYCLED CONTENT
98%	RECYCLABLE

This product has been designed using high quality materials and craftsmanship to ensure it's longevity, however at the end of this products life it can be returned to **sixteen3** for refurbishment or recycling.

For FSC® Chain of Custody specify when ordering.



# Arny Lite

## PRODUCT MATERIAL BREAKDOWN

Material Breakdown Data based on Arny Lite ALT-O2-H upholstered in Camira Oceanic.

Figures stated will vary depending on model purchased and specification changes.

Recycled data based on supplier information and industry averages. As part of our continuous development processes we will review this information regularly and data may change without notice.




48%	MDF
20%	PLYWOOD
9%	HARDWOOD
8%	FABRIC
5%	SOFTWOOD
5%	POLYURETHANE FOAM
4%	RECYCLED FIBREBOARD
1.5%	MILD STEEL
<1%	ZINC PLATED MILD STEEL
<1%	LDPE
<1%	POLYESTER
<1%	NYLON

TOTAL WEIGHT: 65.5kg

**96.19** KG CO<sub>2</sub>e  
\*calculations are based on average emission factors validated by third-party open data sources based on cradle-to-gate phases of typical product lifecycle.

## SUSTAINABILITY



This product has been designed using high quality materials and craftsmanship to ensure its longevity, however at the end of this products life it can be returned to **sixteen3** for refurbishment or recycling.



Certificate Number 14506



Full Membership Certificate No. 173

# Warranty Information

## 5 YEAR - NORMAL FAIR WEAR & TEAR

This includes the structure and any foam/padding materials. Fabrics are covered by fabric manufacturers' warranties, usually 5 years, dependant on fabric choice.

Please refer to full **sixteen3** Warranty information document for more details. **sixteen3** Ltd reserve the right to update product data information without prior notice.

## Standards

### FLAMABILITY

The foams & fillings of this product meet BS EN 5852: Part 2, in accordance with The Furniture and Furnishings (Fire) (Safety) Regulations 1988.

### CONSTRUCTION

Designed to meet & exceed BS EN 16139: 2013 - Strength, Durability and Safety Requirements for non-domestic seating.

### SURFACES

Laminate surfaces tested to EN 438-2 for scratch resistance in horizontal surfaces.

# Cleaning & Maintenance

## GENERAL MAINTENANCE

- Vacuum upholstery regularly to remove dust and grit.
- Most hard surfaces can be cleaned with a soft cloth, dampened with a small amount of water and buffed dry.
- Clean spills and stains quickly to prevent them setting in (see specific fabric care instructions below).
- If being used in a spill/stain prone area specify an appropriate finish with stain-repellent properties.

**Refer to fabric manufacturers own guidelines for specific information.**

## NATURAL FABRICS

In addition to regular vacuuming, wool and other natural fibres can usually be cleaned using appropriate upholstery shampoo. For a deeper clean it is best that wool be dry cleaned, as over-wetting can cause shrinkage and appearance change. Never apply bleach, ammonia, alkali or strong acids to wool upholstery.

## SYNTHETIC FABRICS

Vacuuming is the best regular maintenance followed by speed of action to remove spills and stains rapidly as soon as they occur. Most synthetic fabrics can be wiped down with a water soaked damp cloth without fear of damaging fibre or removing colour. Stubborn stains can be removed with a quality upholstery shampoo.

## LEATHER

Leather should be regularly dusted with a soft cloth and vacuumed with a soft brush extension. Most types of aniline can also be treated with specialist products to help preserve colour/finish etc. As leather is a natural material, discrepancies in surface texture and 'puddling' in seat areas is to be expected.

## WOOD & LAMINATE FINISHES

Clean surfaces regularly with a slightly damp cloth and buff dry with a soft duster. The finish on all wood and laminate surfaces is designed to withstand moderate heat and some spillages, but all spillages should be wiped off with a damp cloth straight away. Do not drag any objects across any table tops. Certain wood finishes will naturally change in appearance with age. We cannot guarantee an exact match of any timber products.

## POLISHED METAL

Clean surfaces regularly with a soft cloth. A high quality chrome cleaner can be used to protect against tarnish and maintain the reflective finish.

## POWDER COATED & PAINTED

Clean surfaces regularly with a slightly damp cloth and a mild solution of soapy water. Buff dry with a soft duster.



**CONTACT**

+44 1925 850 500  
info@sixteen3.co.uk  
@sixteen3\_ltd

**HQ:**  
Unit 2, Westway21  
Chesford Grange  
Woolston, Warrington  
Cheshire  
WA1 4SZ

**London:**  
25 Bastwick St  
Clerkenwell  
London  
EC1V 3PS

**Manchester:**  
Material Source Studio  
1 Federation St  
NOMA  
Manchester  
M4 4BF

**Glasgow:**  
Material Source Studio  
1 80 West George St  
Glasgow  
G2 2NR