

SOFT EDGE 40/41 CHAIR

PRODUCT FACT SHEET



HAY

SOFT EDGE 40/41 CHAIR


DESIGN BY ISKOS-BERLIN, 2022

Iskos-Berlin's Soft Edge series features an organically shaped seat and back, blending strong curves with extreme lightness to create a minimalistic design that optimises human-centric comfort. With its wooden seat and back in a variety of finishes and four-legged steel base, the Soft Edge 40/41 Chair offers uncluttered aesthetics, stability, and functionality. Its strength and stackability make it ideal for using in private, public and contract environments – from homes to corporate spaces and cafés. Also available with an upholstered seat and in a fully upholstered version in a wide range of different fabric options.

HIGHLIGHTS


- Part of a versatile series of chairs, stools, bar stools and lounge chairs.
- Blending strong curves with extreme lightness to create a minimalistic design.
- The collection offers uncluttered aesthetics, stability, and functionality.
- EU Ecolabelled and FSC™ certified.
- Variety of seat and base colours and finishes.
- Available in a wide variety of fabric and leather options.
- Stackable on floor up to 10 pcs. without upholstery | 6 pcs. with upholstery.
- Stackable on trolley up to 20 pcs. without upholstery | 6 pcs. with upholstery.
- Suitable for a wide variety of private and public environments.
- Qualified for contract use.

DIMENSIONS




SOFT EDGE 40 CHAIR

WIDTH 50 CM
DEPTH 52,5 CM
HEIGHT 79 CM
SEAT HEIGHT 47,5 CM
SEAT DEPTH 44 CM



SOFT EDGE 40 CHAIR | SEAT UPHOLSTERY

WIDTH 50 CM
DEPTH 52,5 CM
HEIGHT 79 CM
SEAT HEIGHT 47,5 CM
SEAT DEPTH 44 CM



SOFT EDGE 41 CHAIR | FULL UPHOLSTERY

WIDTH 50 CM
DEPTH 52,5 CM
HEIGHT 79 CM
SEAT HEIGHT 47,5 CM
SEAT DEPTH 44 CM

MATERIALS

SEAT & BACK

Moulded plywood seat and back with inner veneer in beech, top and bottom veneer in oak.

UPHOLSTERY

10 mm PU foam.

BASE

4-legged base in Ø16 mm bent steel tube.

STACKING COVER

Polypropylene, soft black.

GLIDER

Plastic. Standard on all variants. Suitable for all floorings that are not too sensitive.

OPTIONS

Trumpet felt gliders for wooden floors

CMHR foam (fire retardant)

Linking Device (please note, the linking device is not premounted to the frame)

CONSTRUCTION

2D moulded plywood seat and back mounted to the frame with rivets. Stacking pad in polypropylene mounted underneath the seat.

COUNTRY OF ORIGIN

Denmark.

HANG UP BRACKET

Please see more information on Hang Up Bracket for Soft Edge Chairs in our overview.

[LINK TO HANG UP BRACKET OVERVIEW](#)













CHAIR TROLLEY

Please see more information on Chair Trolley in our fact sheet.

[LINK TO FACT SHEET](#)

COLOUR & FINISH

Please note that the colour codes are indicative.

	BASE	BLACK POWDER COATED STEEL	SOFT GREY POWDER COATED STEEL	FALL RED POWDER COATED STEEL	CHROMED STEEL
SEAT & BACK					
BLACK WATER-BASED LACQUERED OAK		•			•
SOFT BLACK WATER-BASED LACQUERED OAK		•			•
HUNTER WATER-BASED LACQUERED OAK		•			•
DUSTY GREEN WATER-BASED LACQUERED OAK		•			•
FALL RED WATER-BASED LACQUERED OAK		•		•	•
SOFT GREY WATER-BASED LACQUERED OAK		•	•		•
WATER-BASED LACQUERED OAK		•	•	•	•
SMOKED WATER-BASED LACQUERED OAK		•			•

FABRIC & LEATHER UPHOLSTERY

Please see our Fabric Overview for approved standard fabrics.

[LINK TO OVERVIEW](#)

SUSTAINABILITY

HAY focuses on developing long-lasting products that minimise our environmental impact. We optimise the use of sustainable materials such as recycled materials, FSC-certified wood and water-based lacquer, with a growing number of eco-certified products. We have strict regulatory requirements, and the majority of our products are tested to comply with international standards for strength, durability and safety.

[LINK TO ENVIRONMENTAL PROFILE](#)

CERTIFICATES



FSC™ LABEL MIX 70%
Made from FSC™-certified wood and other controlled materials.



EU ECOLABEL
Applies to unupholstered and upholstered models covered in EU-Ecolabelled fabrics.
Does not apply to CMHR foam.



INDOOR ADVANTAGE™ GOLD
Supports a healthy indoor environment.
Confirms to ANSI/BIFMA standards.

TESTS

EN 16139:2013
Furniture - Strength, durability and safety
- Requirements for non-domestic seating.
L2 Extreme use - Loading according to
Test severity L2.

ANSI BIFMA X5.4-2012
American National Standard For Office
Furnishings - Lounge and Public Seating - Tests.

WARRANTY

HAY provides a 5-year product warranty. Spare parts are available throughout the 5-year warranty period. Please contact the HAY sales team for further information about the warranty terms and conditions.

CARE & MAINTENANCE

Our Care & Maintenance offers guidance for optimal maintenance of your HAY product. It includes advice and instructions on cleaning and caring for specific materials to prolong the life of your furniture. Find the guide at hay.com.

[LINK TO CARE & MAINTENANCE](#)

RECYCLING & DISASSEMBLY

The furniture is designed to be a long-lasting furniture made to last for many years. The furniture is 100% recyclable and all parts can be fully separated and recycled. All parts can be delivered to a suitable recycling facility.

[LINK TO DISASSEMBLY INSTRUCTION MANUAL](#)

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Digital Library at hay.com.

[LINK TO DIGITAL LIBRARY](#)

SOFT EDGE 45 CHAIR

PRODUCT FACT SHEET



SOFT EDGE 45 CHAIR


DESIGN BY ISKOS-BERLIN, 2018

Iskos-Berlin's Soft Edge series features an organically shaped seat and back, blending strong curves with extreme lightness to create a minimalistic design that optimises human-centric comfort. With its plastic (PP) seat and back in a variety of colours and four-legged steel base, the Soft Edge 45 Chair offers both uncluttered aesthetics, stability, and functionality. Its strength and stackability make it ideal for using in private, public and contract environments – from homes to corporate spaces and cafés. Also available with an upholstered seat in a wide range of fabric options.

HIGHLIGHTS


- Part of a versatile series of chairs, stools, bar stools and lounge chairs.
- Blending strong curves with extreme lightness to create a minimalistic design.
- The collection offers uncluttered aesthetics, stability, and functionality.
- Variety of seat and base colours and finishes.
- Available in a wide variety of fabric and leather options.
- Stackable on floor up to 10 pcs. without upholstery | 6 pcs. with upholstery.
- Stackable on trolley up to 20 pcs. without upholstery | 6 pcs. with upholstery.
- Suitable for a wide variety of private and public environments.
- Qualified for contract use.

DIMENSIONS



SOFT EDGE 45 CHAIR

WIDTH 50 CM
DEPTH 52,5 CM
HEIGHT 79 CM
SEAT HEIGHT 47,5 CM
SEAT DEPTH 44 CM



SOFT EDGE 45 CHAIR | SEAT UPHOLSTERY

WIDTH 50 CM
DEPTH 52,5 CM
HEIGHT 79 CM
SEAT HEIGHT 47,5 CM
SEAT DEPTH 44 CM

MATERIALS

SEAT & BACK

Injection moulded solid coloured polypropylene. Thickness 6mm. Matt slightly textured surface.

UPHOLSTERY

10 mm PU foam.

BASE

4-legged base in Ø16 mm bent steel tube.

STACKING COVER

Polypropylene, soft black.

GLIDER

Plastic. Standard on all variants. Suitable for all floorings that are not too sensitive.

OPTIONS

Trumpet felt gliders for wooden floors

CMHR foam (fire retardant)

Linking Device (please note, the linking device is not premounted to the frame)

CONSTRUCTION

Polypropylene seat and back mounted to the frame with rivets. Stacking pad in polypropylene mounted underneath the seat.

COUNTRY OF ORIGIN

Denmark

HANG UP BRACKET

Please see more information on Hang Up Bracket for Soft Edge Chairs in our overview.

[LINK TO HANG UP BRACKET OVERVIEW](#)












CHAIR TROLLEY

Please see more information on Chair Trolley in our fact sheet.

[LINK TO FACT SHEET](#)

COLOUR & FINISH

Please note that the colour codes are indicative.

	BASE	BLACK POWDER COATED STEEL	SOFT GREY POWDER COATED STEEL	FALL RED POWDER COATED STEEL	WHITE POWDER COATED STEEL	CHROMED STEEL
SEAT & BACK						
BLACK POLYPROPYLENE		•				•
SOFT GREY POLYPROPYLENE		•	•			•
FALL RED POLYPROPYLENE		•		•		•
DUSTY GREEN POLYPROPYLENE		•				•
WHITE POLYPROPYLENE					•	•
HUNTER POLYPROPYLENE		•				•

FABRIC & LEATHER UPHOLSTERY

Please see our Fabric Overview for approved standard fabrics.

[LINK TO OVERVIEW](#)

SUSTAINABILITY

HAY focuses on developing long-lasting products that minimise our environmental impact. We optimise the use of sustainable materials such as recycled materials, FSC-certified wood and water-based lacquer, with a growing number of eco-certified products. We have strict regulatory requirements, and the majority of our products are tested to comply with international standards for strength, durability and safety.

[LINK TO ENVIRONMENTAL PROFILE](#)

CERTIFICATES



INDOOR ADVANTAGE™ GOLD

Supports a healthy indoor environment.

Confirms to ANSI/BIFMA standards.

TESTS

EN 16139:2013

Furniture - Strength, durability and safety

- Requirements for non-domestic seating.

L2 Extreme use - Loading according to

Test severity L2.

WARRANTY

HAY provides a 5-year product warranty.

Please contact the HAY sales team for further information about the warranty terms and conditions.

CARE & MAINTENANCE

Our Care & Maintenance offers guidance for optimal maintenance of your HAY product. It includes advice and instructions on cleaning and caring for specific materials to prolong the life of your furniture. Find the guide at hay.com.

[LINK TO CARE & MAINTENANCE](#)

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Digital Library at hay.com.

[LINK TO DIGITAL LIBRARY](#)

SOFT EDGE 50/51 CHAIR

PRODUCT FACT SHEET



HAY

SOFT EDGE 50/51 CHAIR


DESIGN BY ISKOS-BERLIN, 2020

Iskos-Berlin's Soft Edge series features an organically shaped seat and back, blending strong curves with extreme lightness to create a minimalistic design that optimises human-centric comfort. With its wooden seat and back in a variety of finishes combined with a steel-sled base, the Soft Edge 50/51 Chair offers uncluttered aesthetics, stability, and functionality. Its strength and stackability make it ideal for using in private, public, and contract environments – from homes to corporate spaces and cafés. Also available with an upholstered seat and in a fully upholstered version in a wide range of different fabric options.

HIGHLIGHTS


- Part of a family of dining chairs, bar stools, lounge chairs and stools with steel base or solid oak legs or polypropylene seat and back with steel base.
- Offers an ergonomic seating solution due to its increased level of back support.
- 3-dimensional form based on the latest developments in moulded plywood technique using ordinary plywood.
- EU Ecolabelled and FSC™ certified.
- Variety of seat and base colours and finishes.
- Available in a wide variety of fabric and leather options.
- Available with linking gliders.
- Stackable on floor up to 10 pcs. without upholstery | 6 pcs. with upholstery.
- Stackable on trolley up to 15 pcs. without upholstery | 6 pcs. with upholstery.
- Suitable for a wide variety of private and public environments.
- Qualified for contract use.

DIMENSIONS




SOFT EDGE 50 CHAIR

WIDTH 50,5 CM
DEPTH 52,5 CM
HEIGHT 79 CM
SEAT HEIGHT 47,5 CM
SEAT DEPTH 44 CM



SOFT EDGE 50 CHAIR | SEAT UPHOLSTERY

WIDTH 50,5 CM
DEPTH 52,5 CM
HEIGHT 79 CM
SEAT HEIGHT 47,5 CM
SEAT DEPTH 44 CM



SOFT EDGE 51 CHAIR | UPHOLSTERY

WIDTH 50,5 CM
DEPTH 52,5 CM
HEIGHT 79 CM
SEAT HEIGHT 47,5 CM
SEAT DEPTH 44 CM

MATERIALS

SEAT & BACK

Moulded plywood seat and back with inner veneer in beech, top and bottom veneer in oak.

UPHOLSTERY

10 mm PU foam.

BASE

4-legged base in Ø16 mm bent steel tube.

STACKING COVER

Polypropylene, soft black.

GLIDER

Plastic. Standard on all variants. Suitable for all floorings that are not too sensitive.

OPTIONS

Felt gliders for wooden floors

Linking gliders

CMHR foam (fire retardant)

Linking Device (please note, the linking device is not premounted to the frame)

CONSTRUCTION

2D moulded plywood seat and back mounted to the frame with rivets. Stacking pad in polypropylene mounted underneath the seat.

COUNTRY OF ORIGIN

Denmark.

HANG UP BRACKET

Please see more information on Hang Up Bracket for Soft Edge Chairs in our overview.

[LINK TO HANG UP BRACKET OVERVIEW](#)

CHAIR TROLLEY



























Please see more information on Chair Trolley in our fact sheet.

[LINK TO FACT SHEET](#)

COLOUR & FINISH

Please note that the colour codes are indicative.

SOFT EDGE 50

		BASE	BLACK POWDER COATED STEEL	CHROMED STEEL
				
SEAT & BACK				
BLACK WATER-BASED LACQUERED OAK				
SOFT BLACK WATER-BASED LACQUERED OAK				
HUNTER WATER-BASED LACQUERED OAK				
DUSTY GREEN WATER-BASED LACQUERED OAK				
FALL RED WATER-BASED LACQUERED OAK				
SOFT GREY WATER-BASED LACQUERED OAK				
WATER-BASED LACQUERED OAK				
SMOKED WATER-BASED LACQUERED OAK				

SOFT EDGE 51

		BASE	BLACK POWDER COATED STEEL
			
SEAT & BACK			
ALL TEXTILES AVAILABLE			

FABRIC & LEATHER UPHOLSTERY

Please see our Fabric Overview for approved standard fabrics.

[LINK TO OVERVIEW](#)

SUSTAINABILITY

HAY focuses on developing long-lasting products that minimise our environmental impact. We optimise the use of sustainable materials such as recycled materials, FSC-certified wood and water-based lacquer, with a growing number of eco-certified products. We have strict regulatory requirements, and the majority of our products are tested to comply with international standards for strength, durability and safety.

[LINK TO ENVIRONMENTAL PROFILE](#)

CERTIFICATES



FSC™ LABEL MIX 70%
Made from FSC™-certified wood and other controlled materials.



EU ECOLABEL
Applies to unupholstered and upholstered models covered in EU-Ecolabelled fabrics.
Does not apply to CMHR foam.



INDOOR ADVANTAGE™ GOLD
Supports a healthy indoor environment.
Confirms to ANSI/BIFMA standards.

TESTS

EN 16139:2013
Furniture - Strength, durability and safety
- Requirements for non-domestic seating.
L2 Extreme use - Loading according to
Test severity L2.

ANSI BIFMA X5.4-2012
American National Standard For Office
Furnishings – Lounge and Public Seating – Tests.

WARRANTY

HAY provides a 5-year product warranty. Spare parts are available throughout the 5-year warranty period. Please contact the HAY sales team for further information about the warranty terms and conditions.

CARE & MAINTENANCE

Our Care & Maintenance offers guidance for optimal maintenance of your HAY product. It includes advice and instructions on cleaning and caring for specific materials to prolong the life of your furniture. Find the guide at hay.com.

[LINK TO CARE & MAINTENANCE](#)

RECYCLING & DISASSEMBLY

The furniture is designed to be a long-lasting furniture made to last for many years. The furniture is 100% recyclable and all parts can be fully separated and recycled. All parts can be delivered to a suitable recycling facility.

[LINK TO DISASSEMBLY INSTRUCTION MANUAL](#)

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Digital Library at hay.com.

[LINK TO DIGITAL LIBRARY](#)

SOFT EDGE 52/53 CHAIR

PRODUCT FACT SHEET



SOFT EDGE 52/53 CHAIR


DESIGN BY ISKOS-BERLIN, 2022

Iskos-Berlin's Soft Edge series features an organically shaped seat and back, blending strong curves with extreme lightness to create a minimalistic design that optimises human-centric comfort. With its wooden seat and back in a variety of finishes combined with a steel-sled base with integrated hook link, the Soft Edge 52/53 Chair offers uncluttered aesthetics, stability, and functionality. Its strength, stackability, and ability to link multiple chairs together make it ideal for using in private, public, and contract environments - from homes to corporate spaces and cafés. Also available with an upholstered seat and in a fully upholstered version in a wide range of different fabric options.

HIGHLIGHTS


- Part of a versatile series of chairs, stools, bar stools and lounge chairs.
- Blending strong curves with extreme lightness to create a minimalistic design.
- The collection offers uncluttered aesthetics, stability, and functionality.
- EU Ecolabelled and FSC™ certified.
- Variety of seat and base colours and finishes.
- Available in a wide variety of fabric and leather options.
- Integrated hook link to link multiple chairs together
- Stackable on floor up to 10 pcs. without upholstery | 6 pcs. with upholstery.
- Stackable on trolley up to 15 pcs. without upholstery | 6 pcs. with upholstery.
- Suitable for a wide variety of private and public environments.
- Qualified for contract use.

DIMENSIONS




SOFT EDGE 52 CHAIR

WIDTH 52,5 CM
DEPTH 52,5 CM
HEIGHT 79 CM
SEAT HEIGHT 47,5 CM
SEAT DEPTH 44 CM



SOFT EDGE 52 CHAIR | SEAT UPHOLSTERY

WIDTH 52,5 CM
DEPTH 52,5 CM
HEIGHT 79 CM
SEAT HEIGHT 47,5 CM
SEAT DEPTH 44 CM



SOFT EDGE 53 CHAIR | FULL UPHOLSTERY

WIDTH 52,5 CM
DEPTH 52,5 CM
HEIGHT 79 CM
SEAT HEIGHT 47,5 CM
SEAT DEPTH 44 CM

MATERIALS

SEAT & BACK

Moulded plywood seat and back with inner veneer in beech, top and bottom veneer in oak.

UPHOLSTERY

10 mm PU foam.

BASE

4-legged base in Ø16 mm bent steel tube.

STACKING COVER

Polypropylene, soft black.

GLIDER

Plastic. Standard on all variants. Suitable for all floorings that are not too sensitive.

OPTIONS

Felt gliders for wooden floors.

Linking gliders.

CMHR foam (fire retardant).


CONSTRUCTION

2D moulded plywood seat and back mounted to the frame with rivets. Stacking pad in polypropylene mounted underneath the seat.

COUNTRY OF ORIGIN

Denmark.

ACCESSORIES



HANG UP BRACKET FOR SOFT EDGE



























Black plastic. Please note, the hang up bracket is not premounted to the frame. The hang up bracket is not available for upholstered versions.

[LINK TO HANG UP BRACKET OVERVIEW](#)

COLOUR & FINISH

Please note that the colour codes are indicative.

SOFT EDGE 52

		BASE	BLACK POWDER COATED STEEL	CHROMED STEEL
				
SEAT & BACK				
BLACK WATER-BASED LACQUERED OAK				
SOFT BLACK WATER-BASED LACQUERED OAK				
HUNTER WATER-BASED LACQUERED OAK				
DUSTY GREEN WATER-BASED LACQUERED OAK				
FALL RED WATER-BASED LACQUERED OAK				
SOFT GREY WATER-BASED LACQUERED OAK				
WATER-BASED LACQUERED OAK				
SMOKED WATER-BASED LACQUERED OAK				

SOFT EDGE 53

		BASE	BLACK POWDER COATED STEEL
			
SEAT & BACK			
ALL TEXTILES AVAILABLE			

FABRIC & LEATHER UPHOLSTERY

Please see our Fabric Overview for approved standard fabrics.

[LINK TO OVERVIEW](#)

SUSTAINABILITY

HAY focuses on developing long-lasting products that minimise our environmental impact. We optimise the use of sustainable materials such as recycled materials, FSC-certified wood and water-based lacquer, with a growing number of eco-certified products. We have strict regulatory requirements, and the majority of our products are tested to comply with international standards for strength, durability and safety.

[LINK TO ENVIRONMENTAL PROFILE](#)

CERTIFICATES



FSC™ LABEL MIX

Made from FSC™-certified wood and other controlled materials.

TESTS

EN 16139:2013

Furniture - Strength, durability and safety
- Requirements for non-domestic seating.
L2 Extreme use - Loading according to
Test severity L2.

ANSI BIFMA X5.4-2012

American National Standard For Office
Furnishings - Lounge and Public Seating - Tests.

WARRANTY

HAY provides a 5-year product warranty.

Please contact the HAY sales team for further information about the warranty terms and conditions.

CARE & MAINTENANCE

Our Care & Maintenance offers guidance for optimal maintenance of your HAY product. It includes advice and instructions on cleaning and caring for specific materials to prolong the life of your furniture. Find the guide at hay.com.

[LINK TO CARE & MAINTENANCE](#)

RECYCLING & DISASSEMBLY

The furniture is designed to be a long-lasting furniture made to last for many years. The furniture is 100% recyclable and all parts can be fully separated and recycled. All parts can be delivered to a suitable recycling facility.

[LINK TO DISASSEMBLY INSTRUCTION MANUAL](#)

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Digital Library at hay.com.

[LINK TO DIGITAL LIBRARY](#)

SOFT EDGE 55 SLED

PRODUCT FACT SHEET



SOFT EDGE 55 SLED


DESIGN BY ISKOS-BERLIN, 2020

Iskos-Berlin's Soft Edge series features an organically shaped seat and back, blending strong curves with extreme lightness to create a minimalistic design that optimises human-centric comfort. With its plastic (PP) seat and back in a variety of colours and steel-sled base, the Soft Edge 55 Chair offers both uncluttered aesthetics, stability, and functionality. Its strength and stackability make it ideal for using in private, public, and contract environments – from homes to corporate spaces and cafés. Also available with an upholstered seat in a wide range of fabric options.


HIGHLIGHTS

- Part of a family of dining chairs, bar stools, lounge chairs and stools with steel base or solid oak legs or polypropylene seat and back with steel base.
- Offers an ergonomic seating solution due to its increased level of back support.
- Polypropylene (PP) seat and back available in a wide range of colours, and powder coated or chromed steel base.
- Available with seat upholstery in selected fabrics and leathers.
- Available with linking gliders.
- Stackable on floor up to 10 pcs. without upholstery | 6 pcs. with upholstery.
- Stackable on trolley up to 20 pcs. without upholstery | 6 pcs. with upholstery.
- Suitable for a wide variety of private and public environments.
- Qualified for contract use.

DIMENSIONS



SOFT EDGE 55 SLED
 WIDTH 50,5 CM
 DEPTH 52,5 CM
 HEIGHT 79 CM
 SEAT HEIGHT 47,5 CM
 SEAT DEPTH 44 CM



SOFT EDGE 55 SLED | SEAT UPHOLSTERY
 WIDTH 50,5 CM
 DEPTH 52,5 CM
 HEIGHT 79 CM
 SEAT HEIGHT 47,5 CM
 SEAT DEPTH 44 CM

MATERIALS

SEAT & BACK

Injection moulded solid coloured polypropylene.
 Thickness 6mm. Matt slightly textured surface.

SEAT W. UPHOLSTERY

10 mm PU foam.

BASE

Ø16 mm steel tube.

GLIDER

Plastic. Standard on all variants. Suitable for all floorings that are not too sensitive.

OPTIONS

Felt gliders for wooden floors
 Linking gliders
 CMHR foam (fire retardant)


CONSTRUCTION

Polypropylene seat and back mounted to the frame with rivets. Stacking pad in polypropylene mounted underneath the seat.

COUNTRY OF ORIGIN


Denmark

ACCESSORIES



LINKING GLIDERS

Black plastic with or without felt. Set of 4. Linking gliders are premounted on linking glider variant and optional on standard sled variants.




SOFT EDGE CHAIR TROLLEY

Black powder coated steel. Rear wheels with brake. Suitable for transportation and storage.

TROLLEY CAPACITY

Soft Edge 55 Sled max. 20 pcs.
 Soft Edge 55 Sled w. upholstery Max. 6 pcs.

[LINK TO CHAIR TROLLEY PRESENTATION](#)














HANG UP BRACKET FOR SOFT EDGE

Black plastic. Please note, the hang up bracket is not premounted to the frame. The hang up bracket is not available for upholstered versions.

[LINK TO HANG UP BRACKET OVERVIEW](#)

COLOUR & FINISH

Please note that the colour codes are indicative.

	BASE	BLACK POWDER COATED STEEL	SOFT GREY POWDER COATED STEEL	FALL RED POWDER COATED STEEL	WHITE POWDER COATED STEEL	CHROMED STEEL
SEAT & BACK						
BLACK POLYPROPYLENE		•				•
SOFT GREY POLYPROPYLENE		•	•			•
FALL RED POLYPROPYLENE		•		•		•
DUSTY GREEN POLYPROPYLENE		•				•
WHITE POLYPROPYLENE					•	•
HUNTER POLYPROPYLENE		•				•

FABRIC & LEATHER UPHOLSTERY

Please see our Fabric Overview for approved standard fabrics.

[LINK TO OVERVIEW](#)

SUSTAINABILITY

HAY focuses on developing long-lasting products that minimise our environmental impact. We optimise the use of sustainable materials such as recycled materials, FSC-certified wood and water-based lacquer, with a growing number of eco-certified products. We have strict regulatory requirements, and the majority of our products are tested to comply with international standards for strength, durability and safety.

[LINK TO ENVIRONMENTAL PROFILE](#)

CERTIFICATES



INDOOR ADVANTAGE™ GOLD

Supports a healthy indoor environment.

Confirms to ANSI/BIFMA standards.

TESTS

EN 16139:2013

Furniture - Strength, durability and safety -
Requirements for non-domestic seating.

L2: Extreme use - Loading according to
Test severity L2.

ANSI BIFMA X5.4-2012

American National Standard For Office
Furnishings - Lounge and Public Seating
- Tests.

CARE & MAINTENANCE

Our Care & Maintenance offers guidance for optimal maintenance of your HAY product. It includes advice and instructions on cleaning and caring for specific materials to prolong the life of your furniture. Find the guide at hay.com.

[LINK TO CARE & MAINTENANCE](#)

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Digital Library at hay.com.

[LINK TO DIGITAL LIBRARY](#)

SOFT EDGE 85 BAR STOOL

PRODUCT FACT SHEET



HAY

SOFT EDGE 85 BAR STOOL


DESIGN BY ISKOS-BERLIN, 2016

Iskos-Berlin's Soft Edge series features an organically shaped design, blending strong curves with extreme lightness to create a minimalistic design that optimises human-centric comfort. Featuring a plastic (PP) seat in a variety of colours, the Soft Edge 85 Bar Stool has long steel legs that enhance the minimalistic aesthetics and create a feeling of lightness. Available in two different heights, its strength and functionality ensure years of everyday use in a wide range of public and private environments – from corporate spaces and cafés to home environments.

HIGHLIGHTS

- Part of a family of dining chairs, bar stools and stools with steel base or solid oak legs or polypropylene seat and back.
- Polypropylene (PP) seat and back available in a wide range of colours, and powder coated or chromed steel base.
- The chair is also available in wood in different colours and finishes (Soft Edge 12, 32 and 72) and with steel frame and wood seat and back (Soft Edge 10, 30 and 70).
- Suitable for a wide variety of private and public environments.
- Qualified for contract use.

DIMENSIONS



SOFT EDGE 85 BAR STOOL LOW

WIDTH 40 CM
DEPTH 40 CM
HEIGHT 65 CM
SEAT HEIGHT 65 CM

SOFT EDGE 85 BAR STOOL HIGH

WIDTH 41,5 CM
DEPTH 41,5 CM
HEIGHT 75 CM
SEAT HEIGHT 75 CM

MATERIALS

SEAT

Injection moulded solid coloured polypropylene.
Seat thickness 6mm. Matt slightly textured surface.

BASE

Ø16 mm steel tube.

OPTIONS

Trumpet felt gliders for wooden floors
CMHR foam (fire retardant)

CONSTRUCTION












Polypropylene seat mounted to the frame with rivets.

COUNTRY OF ORIGIN

Denmark

COLOUR & FINISH

Please note that the colour codes are indicative.

		BASE	BLACK POWDER COATED STEEL	SOFT GREY POWDER COATED STEEL	FALL RED POWDER COATED STEEL	WHITE POWDER COATED STEEL	CHROMED STEEL
							
SEAT & BACK							
BLACK POLYPROPYLENE		•					•
SOFT GREY POLYPROPYLENE		•	•				•
FALL RED POLYPROPYLENE		•		•			•
DUSTY GREEN POLYPROPYLENE		•					•
WHITE POLYPROPYLENE						•	•
HUNTER POLYPROPYLENE		•					•

FABRIC & LEATHER UPHOLSTERY

Please see our Fabric Overview for approved standard fabrics.

[LINK TO OVERVIEW](#)

SUSTAINABILITY

HAY focuses on developing long-lasting products that minimise our environmental impact. We optimise the use of sustainable materials such as recycled materials, FSC-certified wood and water-based lacquer, with a growing number of eco-certified products. We have strict regulatory requirements, and the majority of our products are tested to comply with international standards for strength, durability and safety.

[LINK TO ENVIRONMENTAL PROFILE](#)

CERTIFICATES



INDOOR ADVANTAGE™ GOLD

Supports a healthy indoor environment.

Confirms to ANSI/BIFMA standards.

TESTS

EN 16139:2013

Furniture - Strength, durability and safety

- Requirements for non-domestic seating.

L2 Extreme use - Loading according to Test severity L2.

WARRANTY

HAY provides a 5-year product warranty.

Please contact the HAY sales team for further information about the warranty terms and conditions.

CARE & MAINTENANCE

Our Care & Maintenance offers guidance for optimal maintenance of your HAY product. It includes advice and instructions on cleaning and caring for specific materials to prolong the life of your furniture. Find the guide at hay.com.

[LINK TO CARE & MAINTENANCE](#)

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Digital Library at hay.com.

[LINK TO DIGITAL LIBRARY](#)

SOFT EDGE 95 BAR STOOL

PRODUCT FACT SHEET



SOFT EDGE 95 BAR STOOL


DESIGN BY ISKOS-BERLIN, 2020

Iskos-Berlin's Soft Edge series features an organically shaped seat and back, blending strong curves with extreme lightness to create a minimalistic design that optimises human-centric comfort. Featuring a plastic (PP) seat and back in a variety of colours, the Soft Edge 95 Bar Stool has long steel legs that enhance the minimalistic aesthetics and create a feeling of lightness, while the low, supportive backrest enhances the bar stool's stability and comfort. Its strength and functionality ensure years of everyday use in diverse public and private environments - from the home to corporate spaces, cafés, and institutions. Available in two different heights and with an upholstered seat in a wide range of fabric options.



HIGHLIGHTS

- Part of a family of dining chairs, bar stools, lounge chairs and stools with steel base or solid oak legs or polypropylene seat and back with steel base.
- Offers an ergonomic seating solution due to its increased level of back support.
- Polypropylene (PP) seat and back available in a wide range of colours, and powder coated or chromed steel base.
- Available with seat upholstery in selected fabrics and leathers.
- Available in a low and a high version.
- Stackable on floor up to 10 pcs. without upholstery | 6 pcs. with upholstery.
- Suitable for a wide variety of private and public environments.
- Qualified for contract use.


DIMENSIONS





SOFT EDGE 95 LOW
WIDTH 53,5 CM
DEPTH 54 CM
HEIGHT 98 CM
SEAT HEIGHT 65 CM
SEAT DEPTH 40 CM



SOFT EDGE 95 LOW | SEAT UPHOLSTERY
WIDTH 53,5 CM
DEPTH 54 CM
HEIGHT 98 CM
SEAT HEIGHT 65 CM
SEAT DEPTH 40 CM



SOFT EDGE 95 HIGH
WIDTH 55 CM
DEPTH 55,5 CM
HEIGHT 108 CM
SEAT HEIGHT 75 CM
SEAT DEPTH 40 CM



SOFT EDGE 95 HIGH | SEAT UPHOLSTERY
WIDTH 55 CM
DEPTH 55,5 CM
HEIGHT 108 CM
SEAT HEIGHT 75 CM
SEAT DEPTH 40 CM

MATERIALS

SEAT & BACK

Injection moulded solid coloured polypropylene. Thickness 6mm. Matt slightly textured surface.

SEAT W. UPHOLSTERY

10 mm PU foam.

BASE

Ø16 mm steel tube.

GLIDER

Plastic. Standard on all variants. Suitable for all floorings that are not too sensitive.

OPTIONS

Trumpet felt gliders for wooden floors
CMHR foam (fire retardant)

CONSTRUCTION












Polypropylene seat and back mounted to the frame with rivets. Stacking pad in polypropylene mounted underneath the seat.

COUNTRY OF ORIGIN

Denmark

COLOUR & FINISH

Please note that the colour codes are indicative.

		BASE	BLACK POWDER COATED STEEL	SOFT GREY POWDER COATED STEEL	FALL RED POWDER COATED STEEL	WHITE POWDER COATED STEEL	CHROMED STEEL
SEAT & BACK							
BLACK POLYPROPYLENE			•				•
SOFT GREY POLYPROPYLENE			•	•			•
FALL RED POLYPROPYLENE			•		•		•
DUSTY GREEN POLYPROPYLENE			•				•
WHITE POLYPROPYLENE						•	•
HUNTER POLYPROPYLENE			•				•

FABRIC & LEATHER UPHOLSTERY

Please see our Fabric Overview for approved standard fabrics.

[LINK TO OVERVIEW](#)

SUSTAINABILITY

HAY focuses on developing long-lasting products that minimise our environmental impact. We optimise the use of sustainable materials such as recycled materials, FSC-certified wood and water-based lacquer, with a growing number of eco-certified products. We have strict regulatory requirements, and the majority of our products are tested to comply with international standards for strength, durability and safety.

[LINK TO ENVIRONMENTAL PROFILE](#)

CERTIFICATES



INDOOR ADVANTAGE™ GOLD

Supports a healthy indoor environment.

Confirms to ANSI/BIFMA standards.

TESTS

EN 16139:2013

Furniture - Strength, durability and safety - Requirements for non-domestic seating.

L2: Extreme use - Loading according to Test severity L2.

ANSI BIFMA X5.1-2017

American National Standard For Office Furnishings - General Purpose Office Chairs - Tests, Type

WARRANTY

HAY provides a 5-year product warranty.

Please contact the HAY sales team for further information about the warranty terms and conditions.

CARE & MAINTENANCE

Our Care & Maintenance offers guidance for optimal maintenance of your HAY product. It includes advice and instructions on cleaning and caring for specific materials to prolong the life of your furniture. Find the guide at hay.com.

[LINK TO CARE & MAINTENANCE](#)

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Digital Library at hay.com.

[LINK TO DIGITAL LIBRARY](#)

SOFT EDGE 100/101 LOUNGE

PRODUCT FACT SHEET



SOFT EDGE 100/101 LOUNGE


DESIGN BY ISKOS-BERLIN, 2022

Iskos-Berlin's Soft Edge series features an organically shaped seat and back, blending strong curves with extreme lightness to create a minimalistic design that optimises human-centric comfort. The Soft Edge 100/101 Lounge Chair features the same distinctive seat contours as the rest of the family, but with a lower, wider design that is more conducive for relaxing or sitting for longer periods of time. Its steel base reinforces its light, uncluttered aesthetics, while its strength, stability, and comfort ensure years of everyday use in a wide range of public and private environments – from cafés, offices, and waiting areas to a home environment. Also available with an upholstered seat and in a fully upholstered version in a wide range of different fabric options.


HIGHLIGHTS

- Part of a family of dining chairs, bar stools, lounge chairs and stools with steel base or solid oak legs or polypropylene seat and back with steel base.
- Offers an ergonomic seating solution due to its increased level of back support.
- 3-dimensional form based on the latest developments in moulded plywood technique using ordinary plywood.
- EU Ecolabelled and FSC™ certified.
- A modest yet striking aesthetic profile.
- Compact and extremely comfortable.
- Variety of seat and base colours and finishes.
- Available in a wide variety of fabric and leather options.
- Stackable on floor up to 10 pcs. without upholstery | 6 pcs. with upholstery.
- Suitable for a wide variety of private and public environments.
- Qualified for contract use.


DIMENSIONS



SOFT EDGE 100
WIDTH 57 CM
DEPTH 64 CM
HEIGHT 69 CM
SEAT HEIGHT 40 CM
SEAT DEPTH 48 CM



SOFT EDGE 100 | SEAT UPHOLSTERY
WIDTH 57 CM
DEPTH 64 CM
HEIGHT 69 CM
SEAT HEIGHT 40 CM
SEAT DEPTH 48 CM



SOFT EDGE 101 | FULL UPHOLSTERY
WIDTH 57 CM
DEPTH 64 CM
HEIGHT 69 CM
SEAT HEIGHT 40 CM
SEAT DEPTH 48 CM

MATERIALS

SEAT & BACK

Moulded plywood seat and back with inner veneer in beech, top and bottom veneer in oak.

SEAT W. UPHOLSTERY

10 mm PU foam.

STACKING COVER

Polypropylene, soft black.

BASE

Ø16 mm steel tube.

GLIDER

Plastic. Standard on all variants. Suitable for all floorings that are not too sensitive.

OPTIONS

Trumpet felt gliders for wooden floors.

CMHR foam (fire retardant).

CONSTRUCTION
























2D moulded plywood seat and back mounted to the frame with rivets. Inner plywood in beech, top veneer in oak.
 Base in Ø16 mm steel tube. Stacking pad in polypropylene mounted underneath the seat.

COUNTRY OF ORIGIN

Denmark

COLOUR & FINISH

Please note that the colour codes are indicative.

	BASE	BLACK POWDER COATED STEEL	SOFT GREY POWDER COATED STEEL	FALL RED POWDER COATED STEEL
SEAT & BACK				
BLACK WATER-BASED LACQUERED OAK				
SOFT BLACK WATER-BASED LACQUERED OAK				
HUNTER WATER-BASED LACQUERED OAK				
DUSTY GREEN WATER-BASED LACQUERED OAK				
FALL RED WATER-BASED LACQUERED OAK				
SOFT GREY WATER-BASED LACQUERED OAK				
WATER-BASED LACQUERED OAK				
SMOKED WATER-BASED LACQUERED OAK				

FABRIC & LEATHER UPHOLSTERY

Please see our Fabric Overview for approved standard fabrics.

[LINK TO OVERVIEW](#)

SUSTAINABILITY

HAY focuses on developing long-lasting products that minimise our environmental impact. We optimise the use of sustainable materials such as recycled materials, FSC-certified wood and water-based lacquer, with a growing number of eco-certified products. We have strict regulatory requirements, and the majority of our products are tested to comply with international standards for strength, durability and safety.

[LINK TO ENVIRONMENTAL PROFILE](#)

CERTIFICATES



FSC™ LABEL MIX 70%
Made from FSC™-certified wood and other controlled materials.



EU ECOLABEL
Applies to unupholstered and upholstered models covered in EU-Ecolabelled fabrics.
Does not apply to CMHR foam.



INDOOR ADVANTAGE™ GOLD
Supports a healthy indoor environment.
Confirms to ANSI/BIFMA standards.

TESTS

EN 16139:2013
Furniture - Strength, durability and safety
- Requirements for non-domestic seating.
L2 Extreme use - Loading according to
Test severity L2.

ANSI BIFMA X5.4-2012
American National Standard For Office
Furnishings - Lounge and Public Seating - Tests.

WARRANTY

HAY provides a 5-year product warranty. Spare parts are available throughout the 5-year warranty period. Please contact the HAY sales team for further information about the warranty terms and conditions.

CARE & MAINTENANCE

Our Care & Maintenance offers guidance for optimal maintenance of your HAY product. It includes advice and instructions on cleaning and caring for specific materials to prolong the life of your furniture. Find the guide at hay.com.

[LINK TO CARE & MAINTENANCE](#)

RECYCLING & DISASSEMBLY

The furniture is designed to be a long-lasting furniture made to last for many years. The furniture is 100% recyclable and all parts can be fully separated and recycled. All parts can be delivered to a suitable recycling facility.

[LINK TO DISASSEMBLY INSTRUCTION MANUAL](#)

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Digital Library at hay.com.

[LINK TO DIGITAL LIBRARY](#)