

# ACTA.PLUS

## EXCLUSIVITY AS A MODULAR SYSTEM

**FLIPPER CUPBOARD TOP BOX**



**FLOATING SHELF**



**INTERMEDIATE FRAME**



**PLINTH 30 mm**



**PLINTH 90 mm**



**GLIDES**




**TOP (option)**

**PLANTER TOP BOX**



**FRAME**

- + Square tube (20x20 mm)
- + Rectangular tube (40x20 mm)
- + Round tube (ø 35 mm)




**SIDE TRIM (left/right options)**

**DIFFERENT DOOR OPTIONS**

- + Open shelves
- + Hinged door cupboard
- + Side-sliding tambour cupboard
- + Sliding-door cupboard
- + Filing cabinet




# MULTIFUNCTIONAL ROOM DIVIDER



# CONFIGURATION EXAMPLES



ACTA.PLUS with intermediate frame



ACTA.PLUS with metal bookends



ACTA.PLUS with planter top box

# CONNECTIONS TO BUILDING STRUCTURE

## CEILING TRACK




To be adjusted to suit building tolerances. Can be ordered in fixed widths and heights. Above 100 mm height, can be delivered to order. Other dimensions on request.

## GABLE END/END PANEL

Conceals the visible carcass side. It allows a consistent shadow gap on the front while letting the installer cater for any tolerances on the building wall. Can be ordered in fixed widths and heights. Other dimensions on request.

## WALL CONNECTION

To be adjusted to suit building tolerances. Can be ordered in fixed widths and heights. Other dimensions on request.



# ACTA.PLUS INFOCARD

Carcass 19 mm with inset fronts	■
Side trims, top and rear panel doubled	□
Height grid 375 mm	■
Heights with plinth	405 mm (1 FL <sup>1</sup> ), 780 mm (2 FL <sup>1</sup> ), 1155 mm (3 FL <sup>1</sup> ), 1530 mm (4 FL <sup>1</sup> ), 1905 mm (5 FL <sup>1</sup> ), 2280 mm (6 FL <sup>1</sup> )
Widths	450 mm, 600 mm, 800 mm, 1000 mm, 1200 mm, 1600 mm
Depths	450 mm + 600 mm with front, 430 mm + 580 mm without front
<b>Locking options</b>	
Lock with eurocylinder	■
Filing cabinet with central lock and safety interlock	■
<b>Models</b>	
Hinged doors, Side-sliding tambours, Sliding doors, Filing drawers	■
Lockers and wardrobe-style cupboards	■
Flipper cupboards	■
Bridging shelf	■
Stacking cupboards 1-3 FL <sup>1</sup>	□
Planter top box	■
Room divider with metal bookends (minimalist or organic design)	■
■ Standard □ Optional <sup>1</sup> FL = Filing level	



1



2



3

## 1 | ACOUSTICALLY-EFFECTIVE FRONTS

Effectively reduce the noise level

## 2 | FABRIC SCREEN

The fabric finish optimises office acoustics.

## 3 | OPEN SHELVING UNITS

Vertical rows of pre-drilled holes allow shelves to be fitted at any level.



4



5



6

## 4 | STURDY METAL SHELVES


Bookends provide the necessary support.

## 5 | FILE-FRAMES WITH PARALLEL GUIDANCE

Ensure a consistent pull-out action, even in intensive use.

## 6 | PULL-OUT WARDROBE RAILS

The 450 mm deep cupboard becomes a wardrobe for crease-free hanging.



7



7

## 7 | DIFFERENT DOOR OPTIONS

Elegant front-mounted doors for side tambour / sliding door cupboards. Inset fronts are also available on request.