

# Rax 150 Surface








Surface mounted LED downlight. Made of fire-resistant polycarbonate. SDCM 2. L90/B10>50,000, Supplied with 3000K/4000K LED. Complete with driver. The luminaire is made of die-cast aluminium. Matt reflector.

# Rax 150 Surface




## Product- and environment images



Article	Protection	Control gear	Mounting/Connection	Dimensions
<b>3000K</b>				
 <p>8246081584  <b>Rax Surface 150 White 1580lm</b>  <b>3000K Ra&gt;80 On/Off</b>  <b>14W LED</b>            113 lm/W SDCM:2            L90/B10&gt;100,000            Beam: 74°, Direct, Satin Matt            Reflector</p>	<p><b>Class I</b>  <b>IP20</b></p>	<p>On/Off</p>	<p>Surface, Indoor</p>	<p>Ø173 x H203</p>
 <p>8246081607  <b>Rax Surface 150 White 2140lm</b>  <b>3000K Ra&gt;80 On/Off</b>  <b>19W LED</b>            113 lm/W SDCM:2            L90/B10&gt;100,000            Beam: 74°, Direct, Satin Matt            Reflector</p>	<p><b>Class I</b>  <b>IP20</b></p>	<p>On/Off</p>	<p>Surface, Indoor</p>	<p>Ø173 x H203</p>
 <p>8246081610  <b>Rax Surface 150 White 2140lm</b>  <b>3000K Ra&gt;80 DALI / Push Dim</b>  <b>19W LED</b>            113 lm/W SDCM:2            L90/B10&gt;100,000            Beam: 74°, Direct, Satin Matt            Reflector</p>	<p><b>Class I</b>  <b>IP20</b></p>	<p>DALI / Push Dim</p>	<p>Surface, Indoor</p>	<p>Ø173 x H203</p>
<b>4000K</b>				
 <p>8246081636 <span style="color: orange;">•</span>  <b>Rax Surface 150 White 1630lm</b>  <b>4000K Ra&gt;80 DALI / Push Dim</b>  <b>14W LED</b>            116 lm/W SDCM:2            L90/B10&gt;50,000            Beam: 74°, Direct, Satin Matt            Reflector</p>	<p><b>Class I</b>  <b>IP20</b></p>	<p>DALI / Push Dim</p>	<p>Surface, Indoor</p>	<p>Ø173 x H203</p>
 <p>8246081652 <span style="color: orange;">•</span>  <b>Rax Surface 150 White 2210lm</b>  <b>4000K Ra&gt;80 DALI / Push Dim</b>  <b>19W LED</b>            116 lm/W SDCM:2            L90/B10&gt;50,000            Beam: 74°, Direct, Satin Matt            Reflector</p>	<p><b>Class I</b>  <b>IP20</b></p>	<p>DALI / Push Dim</p>	<p>Surface, Indoor</p>	<p>Ø173 x H203</p>
<b>Others</b>				

# Article codes



Article	Protection	Control gear	Mounting/Connection	Dimensions
 820489 <b>Sensor Dim Box White 200VA</b> <b>200VA</b>	<b>IP20</b>		Indoor Screwless terminal block	L220 x W75 x H34

• = This article is produced by order, with an expected delivery time of 3-4 weeks.