



Residence Huddle

Dedicated quiet spaces are a necessity within the buzz of the open plan office. Acoustically tested it guarantees an undistracted zone for private meetings or quiet working.

Spacestor.

Residence Huddle

Dedicated quiet spaces are a necessity within the buzz of the open plan office. Acoustically tested and with a soft seal door close, Residence Huddle guarantees an undistracted zone for private meetings or quiet working.

Style



Glazed front & back
PHP-GGB



Glazed front, Upholstered back
PHP-GPB

Back Options



Glazed
GLZ



Upholstered
UPH



Custom Graphic
GRA

Clad Style



36mm Ply
P36



36mm MFC
M36

Seat Options



Bench
BCH



Single
SNG

Accessories



Basic Power Module
PSG



Spotlight Kit
SLT




Cushion
CUH

Dimensions



1998w x 1803d x 2200h
Table Height: 765
Seat Height: 528



w

d

h

Finishes

MFC clad finishes

- Group 1:** Platinum White, Light Grey, Taupe Grey, Stone Grey, Dakar Grey, Dust Grey, Onyx Grey, Graphite Grey, Black
- Group 2:** Premium White, Light Lakeland Acacia, Natural Davos Oak, Natural Maple, Light Sorano Oak, Ellmau Beech, Tobacco Pacific Walnut
- Group 3:** Swisskrono Collection, Sky Blue, Smoke Blue, Denim Blue, Atoll Blue, Sea Blue, Petrol, Fjord Green, Emerald, Forest Green, Pink, Lipstick, Red, Jaffa Orange, Brilliant Yellow, White Gladstone Oak, Jerusalem Pine, Natural Halifax Oak, Premium White, Black
- Group 4:** PerfectSense Collection
- Veneers:** White American Oak, Crown Steamed Beech, Crown Maple, Crown Ash, Crown American Cherry, American Walnut

Upholstery finishes

- Group 2:** Camira Main Line Flax, Camira Main Line Plus, Camira Vita
- Group 3:** Camira Blazer, Camira Sumi, Camira Synergy, Kvadrat Clara 2, Kvadrat Melange Nap, Kvadrat Remix 3
- Group 4:** Kvadrat Atlas, Kvadrat Canvas 2, Kvadrat Fiord, Kvadrat Hero, Kvadrat Steelcut 3, Kvadrat Steelcut Trio 3

For more information please visit spacestor.com

Key Features

The Residence Pods are tested to:-

1. British Standards BS EN ISO 11957:2009 Acoustics Determination of sound insulation performance of cabins - Laboratory & in-situ measurements.
2. British Standards BS EN ISO 717 Acoustics - Rating of sound insulation in building elements.
BS EN ISO 717-1:2013 Airborne sound insulation

Acoustically tested door seals to 30dB privacy factor. Within a normal busy office and approx 1m+ distance any conversation within the Pod should be indistinguishable. Within the pod any noise factors outside should be greatly reduced to a non interference level.

Modular power & data supplies are fused and have appropriate CE marks and certifications.

All units built with UK and European socket types are CE marked by OE Electrics as complying with: - Electromagnetic Compatibility Directive 2014/30/EU - Low Voltage Equipment Directive 2014/35/EU - RoHS2 Directive 2011/65/EU

Furniture grade MFC or lacquered ply clads are fixed to the external face of the main steel structure Upholstered acoustic panels are clipped to the interior surface.



Low voltage LED lighting for consistent illumination is supplied on a PIR system with movement sensor to ensure that when the unit is unoccupied the system will power down as an energy and cost saving measure and will activate when the pod is occupied.

Upholstery fabric will be selected from approved contract quality fabric ranges min Matindale test of 45,000 rubs and tested to Crib 5 or C&M. Fabric & Foam supplied complies with BS 7176: Fire test to non-domestic seating - Standard Brief.

BS 7176 specifies requirements for the resistance to ignition of upholstered furniture used for seating when tested in accordance with BS 5852, BS EN 1021-1 or BS EN 1021-2, as appropriate. The levels of ignition resistance have been set after careful consideration of the fire risk of the particular end-use environment involved.

Integrated forced ventilation provides continued circulation of fresh air taken from the ambient space outside of the pod. The movement of air within the pod and the continuous addition of new air helps to control CO2 build up and keeps the pod at a comfortable temperature.

Toughened safety glass to - British Standard BS6202 Class B

CALIFORNIA COOL



LONDON DESIGN

+020 8997 7899
sales@spacestor.com
www.spacestor.com